

EPDM Mulch – The long life surface configuration in a natural design

»A hygienic
and economical
alternative«



A young child with light brown hair and blue eyes is wearing a bright green hooded sweatshirt. They are standing in a pit of dark brown wood mulch. The child is holding a green plastic ring in their mouth with their right hand and a small white cup filled with a light-colored, bubbly liquid in their left hand. A semi-transparent orange and green rectangular box is overlaid on the center of the image, containing the text.

ALWAYS VIRGIN PRODUCTS

Rain and sun: no problem!
A genuinely top quality product stays great for many years.
Our EPDM Mulch provides the proof.

Reinvent surfaces with EPDM Mulch



» The hygienic and economical alternative

EPDM Mulch is the alternative for rubber mulch produced from old tyres with surface coating. EPDM Mulch is 100% dyed through, which means it keeps its colour over the long term and is environmental and health-friendly.

Bark mulch and wood chips are substantially more prone to become dirty. Soiling can be more easily covered by loose pieces of wood, or overseen during cleaning. Soiling is visible on a hardened EPDM Mulch surface and is therefore easy to clean.


Bounded EPDM Mulch surfaces are easier to maintain and offer a consistent level of safety. Loosely spread materials such as bark mulch and wood cuttings can rot, be removed and require substantially more care.



Coated rubber mulch made from old tyres



EPDM Mulch 100% dyed through



EPDM Mulch – durable, safe, economical

EPDM Mulch is optimally suitable for everyone who is looking for a durable, colour-resistant alternative to rubber mulch made from old tyres.

EPDM Mulch is manufactured as a new product and is 100% dyed through. This means that its colour doesn't 'wear out' – even after several years. EPDM Mulch doesn't smell of old tyres either and poses no risk to human health.

Compared with natural varieties of mulch, EPDM Mulch does not rot away, it remains in place, and therefore offers hygienic and consistently safe playing conditions.



» Consistent safety

Depending on its installation height, EPDM Mulch can provide a protective function aligned to the required fall height when it is used in the area of leisure and play areas.



» Flame-retardant

Suitable for indoor use. Available as a flame-retardant material according to class C_{fl}-s1 (DIN EN 13501-1).



» 100% dyed through and stable

EPDM Mulch surfaces remain colour and feature stable in every weather and when subject to considerable mechanical strain.



» Environmental friendly & health-friendly

EPDM Mulch consists 100% of a controlled new product and satisfies all of the relevant environmental protection requirements.



» Sustainable & economical

Very durable, no discharge, no follow-up spreading, no hidden costs, and therefore sustainable and economical.



» Barrier-free

EPDM Mulch is laid down joint-free and therefore offers the basis for limitless playing without trip hazards or barriers.



» Certified quality

Tested product quality "Made in Germany". Over 80 years' experience in the production of synthetic granules.



» Long term, expedient use of resources

Due to the natural form of material, EPDM Mulch achieves a superb bulk density.



» Hygienic new product

Fungus and bacteria don't stand a chance. Unwanted soiling can be discovered and disposed of more quickly.

» Available colours



Red
Code: 46 0095
RAL: 3016



Beige
Code: 46 2195
RAL: 1001



Brown
Code: 46 2895
RAL: 8024



May Green
Code: 46 4195
RAL: 6017



Rainbow Green
Code: 46 5695
RAL: 6025



Blend Brown
Code: 46 2896
RAL: 3016 + 8024



Blend Beige
Code: 46 2196
RAL: 8024 + 1001



Blend Green
Code: 46 4196
RAL: 6017 + 6025



EPDM Mulch is available ex-works in five different colours. The blends are each made up of 50% of the corresponding colour and come ready blended.





**GREAT
VALUE**
HAS NEVER BEEN
SO NEW BEFORE!
EPDM MULCH

granules



PGR0021-09/2013

melos 

Melos GmbH
Granules
Cable Compounds
Customer Solutions
Bismarckstrasse 4-10
49324 Melle | Germany
Phone +49 54 22 94 47-0
Fax +49 54 22 59 81
info@melos-gmbh.com
www.melos-gmbh.com